


CAYU 571A-G31X1A-02 Wall Bracket/ Ceiling Fixture CAYU IP66 GX53 LED T2 4x7W 800lm 3000K 120° Black

Wall / ceiling lamp Cayu is made of resin in black with IP66, it is composed of four lamps that are included with the emission temperature of 3000K. Thanks to its unusual shape, it is suitable for illuminating large outdoor surfaces.



GENERAL DATA

Category	Surface
Family	Cayu
Finish	[02] Black
Location	Outdoor
Installation	Ceiling, Wall
Body material	Resin
Diffuser material	Opal polycarbonate
ETIM class	EC002892
EAN	8435256519198

LIGHT SOURCES AND BEAMS

Sources	GX53 LED T2 4x 7W max. 4x 800lm 3000K
Lamp included	Yes
Beam	Direct symmetric

TECHNICAL DATA

Dimensions	Height x Width x Length (mm): 340 x 300 x 150
IP	IP66
IK	09
Corrosion resistance	Yes
Protection class	Class II
Frequency	50/60 Hz
Input voltage	110-240V AC V
Auxiliary gear	Without equipment, not needed
Operating temperature range	-60 - 90 °C
Lifetime	25,000 h
Weight	3.0 Kg
Cable outlets	1
Tilt angle	120.0 °
ECORAE category I	LED-B
ECORAE I	0.5









NOTES

Lamp included
Protected material against u.v.
Luminaire suitable for installation in environments with saline atmosphere

CAYU


571A-G31X1A-02 Wall Bracket/ Ceiling Fixture CAYU IP66 GX53 LED T2 4x7W 800lm 3000K 120° Black

RECOMMENDED ACCESSORIES

		378A-L3103A-02 Lamp LED T2 GX53 LED Bulb 3W 350lm CRI80 4000K 120°	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>3.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	3.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	3.0												
IP	IP20												
Protection class	Class I												
		378A-L3104A-01 Lamp LED T2 GX53 LED Bulb 4W 320lm CRI80 3000K 120°	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>4.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	4.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	4.0												
IP	IP20												
Protection class	Class I												
		378A-L3106A-01 Lamp LED T2 GX53 LED Bulb 6W 480lm CRI80 3000K 180°	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>6.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		378A-L3106A-02 Lamp LED T2 GX53 LED Bulb 6W 480lm CRI80 4000K 180°	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>6.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	6.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	6.0												
IP	IP20												
Protection class	Class I												
		378B-L3107A-01 Lamp LED T2 GX53 LED Bulb 7W 800lm CRI80 3000K 120°	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>7.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	7.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	7.0												
IP	IP20												
Protection class	Class I												
		378B-L3107A-02 Lamp LED T2 GX53 LED Bulb 7W 700lm CRI80 4000K 120°	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>7.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	7.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	7.0												
IP	IP20												
Protection class	Class I												
		378B-L3110A-01 Lamp LED T2 GX53 LED Bulb 10W 1200lm CRI80 3000K 120° White	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>10.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	10.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	10.0												
IP	IP20												
Protection class	Class I												
		378B-L3110A-02 Lamp LED T2 GX53 LED Bulb 10W 1000lm CRI80 4000K 120° Black	<table><tr><td>Input voltage</td><td>110-240V AC</td></tr><tr><td>Frequency</td><td>50/60</td></tr><tr><td>Wattage (W)</td><td>10.0</td></tr><tr><td>IP</td><td>IP20</td></tr><tr><td>Protection class</td><td>Class I</td></tr></table>	Input voltage	110-240V AC	Frequency	50/60	Wattage (W)	10.0	IP	IP20	Protection class	Class I
Input voltage	110-240V AC												
Frequency	50/60												
Wattage (W)	10.0												
IP	IP20												
Protection class	Class I												

CAYU

571A-G31X1A-02 Wall Bracket/ Ceiling Fixture CAYU IP66 GX53 LED T2 4x7W 800lm 3000K
120° Black



378C-L3111A-01

Lamp LED T2 GX53 LED Bulb 11W
1300lm CRI80 3000K 90° White


Input voltage 110-240V AC

Frequency 50/60

Wattage (W) 11.0

IP IP20

Protection class Class I



378C-L3111A-02

Lamp LED T2 GX53 LED Bulb 11W
900lm CRI80 4000K 90° White

Input voltage 110-240V AC

Frequency 50/60

Wattage (W) 11.0

IP IP20

Protection class Class I

CAYU

571A-G31X1A-02 Wall Bracket/ Ceiling Fixture CAYU IP66 GX53 LED T2 4x7W 800lm 3000K
120° Black

COMPLEMENTARY IMAGES

