# Product Datasheet

vkleadinglight.gr

Lines


## VK/04267/B/6/W

Recessed fixed spot led, 5W, 3000K, 723lm, 15°, CRI>90, IP20, black





IP20

| Dimensions | Gallery | Downloads |
|---|---|---|








FILES

FOTO

CE

**VK Leading Light**
Since 1978

| Technical Specifications | |
|---|---|
| Kelvin | 3000K |
| Power | 5W |
| Voltage | 220-240V |
| Fitting | Recessed dark ceiling |
| Type | Square Downlight LED |
| Safety class |  |
| Light source | OSRAM |
| IP Rating | IP20 |
| CRI | CRI>90 |
| Dimmable |  |
| Lifetime | 50.000hrs |
| Clicks | 20.000clicks |
| Working temperature | < 45°C |
| PAGE | 220 Technical 2024 |
| NICKNAME | Lines |

| Physical Specifications | |
|---|---|
| Recessed ceiling | Yes |
| Color | Black |
| Material | Aluminium |
| Width | 5cm |
| Length | 14.2cm |
| Height | 3.6cm |
| Net weight of product (kg) | 0.27 |
| Gross weight with inner box (kg) | 0.33 |
| Gross weight with master box (kg) | 10.85 |
| Cut out | 13.5x4cm depth 3cm |

| Illumination Data | |
|---|---|
| Lumen | 723lm |
| Beam angle | 15° |
| Lighting direction |  |
| Dark light | Yes |

| Packing Info | |
|---|---|
| Pcs/carton | 30pcs |

| Certification & Warranty | |
|---|---|
| Guarantee | 3 years |

## Energy Label

