

FLOS

F0095009 White

Aim Small

Designed by Ronan & Erwan Bouroullec, 2014




12W - 725lm - 2700K - CRI> 90

Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched PC. Directionable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos. Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 metres and thus the lamp can be suspended 3 metres from the ceiling. Multiple rose with capacity to connect up to 5 Aim Small also available.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607013502
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	12
Lumen Output (lm)	725

Physical

Colour	White
Length (mm)	170
Cord colour	White
Cord length (mm)	9000
Canopy colour	White
Canopy length/diameter (mm)	80
Canopy height (mm)	23
Net weight (kg)	1.35
Package height (mm)	310
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

Download

Mounting instructions	PDF
Dimmers or chargers compatible	PDF
Spare Parts	PDF

Photometric Files


LDT / IES	LDT
-----------	---------------------

Technical Drawings

2D	ZIP
3D	ZIP
Bim	ZIP



Schematic light drawing



Ecodesesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only) light source by a professional

Photometric

Light distribution	Roto symmetric
CCT (K)	2700
CRI>	90

Extreme cut off

No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)

Batteries inside

No

Accessories & Power Supply



OPTIONAL

F0093009

Aim Multiple Canopy





OPTIONAL

RF22227

Aim Dimmer

Spare Parts



01.	Aim/Aim Small Ceiling attachment assembly	RF0090109
02.	Aim/Aim Small Kit of quantity 3 m4 screws	RF06749
03.	Ceiling rose assembly	RF1555009
04.	Aim Small Heatsink, 2700K Led Module & Reflector Assembly	RF0095600
05.	Aim small opal diffuser	RF0095500

DOWNLOAD



RF0090109

Aim/Aim Small Ceiling attachment assembly

RF06749

Aim/Aim Small Kit of quantity 3
m4 screws

RF1555009

Ceiling rose assembly

RF0095600

Aim Small Heatsink, 2700K Led
Module & Reflector Assembly



▲▲▲

RF0095500

Aim small opal diffuser